


Further Actuators

Beside the UHF and UKW series radio systems we additionally offer a variety of wired actuators. The accessory program contains push and code touch contacts for internal and external installation, a variety of key contacts, pull cord contacts, finger scanner and induction loops. One highlight is the touch contact SaveControl, which provides reliable safety and intrusion protection due to state-of-the-art technology.

1. Touch contact SaveControl

- ✓ high-quality design and powerful technology
- ✓ reliable intrusion protection by special vacation lock
- ✓ installation with two-core cable
- ✓ 4-minute-light programmable



Touch contact SaveControl, installation with two-core cable, OPEN and CLOSE of the door, 4-minute-light, vacation lock, 74 x 85 x 18 mm (W x H x D)

Article Number:

148720-51-1-50

2. Further push-pull contacts



Touch contact with 7 m cable

Article Number:

147738-01-1-50



Touch contact with 5 m connection cable

Article Number:

020020-31-3-32



Push touch contact KM 1, AP, single

Article Number:

050196-31-3-32



Push touch contact KM 2, AP, double

Article Number:

050195-31-3-32



Push touch contact KM 3, AP, triple

Article Number:

050194-31-3-32



Pull cord contact with knob ZT, AP

Article Number:

050204-31-3-32 (single)

000904-10-0-20 (with accessories)

3. Key contacts and Key switches



Key contact KT 3-1 AP (single impulse), surface mounting

Article Number:

020024-31-3-32



Key contact KT 3-1 UP (single impulse), concealed mounting

Article Number:

020023-31-3-32



Key contact KT 3-2 UP / AP (ON / OFF)

Article Number:

050547-31-3-32



Key contact KT 7 UP / AP, with 3 additional push buttons, ON / OFF switching by profile cylinder

Article Number:

050550-31-3-32



Key contact KT 8 UP, double impulse OPEN / 0 / CLOSE
(concealed mounting)

Article Number:

050548-31-3-32



Key contact KT 8 AP, double impulse OPEN / 0 / CLOSE (surface mounting)

Article Number:

050549-31-3-32



Key contact KT 9 AP / UP, triple impulse OPEN / 0 / CLOSE with touch
contact for STOP

Article Number:

050551-31-3-32



Key contact SSS 1, post for key contact complete with key contact KT 3-1

Article Number:

050321-31-3-32

4. Miscellaneous impulse generators



Code card reader complete in a case with threaded connecting piece 2 and profile half cylinder type GA, to be used only with additional master card

Article Number:

000904-50-1-05

Code card reader complete in a case without threaded connecting piece, with profile half cylinder type GA, to be used only with additional master card

Article Number:

000904-50-1-06



Code card reader without case (installation version), to be used only with additional master card

Article Number:

000904-50-0-02



Master card type MK

Article Number:

000904-50-0-04



Code card with / without customer print

Article Number:

000904-50-0-34 (without customer print)
050758-31-3-32 (with customer print)



Code touch contact MTB 24, with metal keyboard and electronic module 24 V AC / DC, with 3 relay contacts

Article Number:

148123-03-1-50



Code touch contact MTB 230, with metal keyboard and electronic module 230 V, with 2 relay contacts

Article Number:

148124-03-1-50



Finger scanner with electronic module and plug adapter, memory of 99 fingerprints, with one relay contact, isolated

Article Number:

020220-31-3-32



Loop detector SD 40 for induction loops, 2-channel and direction recognition, connection voltage 230 V 50 / 60 Hz, protection category IP30

Article Number:

050648-31-3-32



Induction loop SF 6-15, circumference 6 m, including 15 m connection cable PUR 2 x 0,75 mm²

Article Number:

050647-31-3-32